

GAP PROFESSIONAL PRODUCTS

Safety Data Sheet Citri Solve Solvent Degreaser

SECTION 1: Identification

1.1 Product identifier

Product name Citri Solve Solvent Degreaser

Product number 5543

1.3 Recommended use of the chemical and restrictions on use

Cleaner Degreaser / Detergent

1.4 Supplier's details

Name GAP Professional Products

Address 122 Route 105

Keswick Ridge, NB E6L 1B1

Canada

Telephone (506) 363-9708 Fax (506) 363-4241 email info@gapauto.com

1.5 Emergency phone number(s)

For Medical or Transport Emergencies/ Pour les urgences médicales ou de transport

CANUTEC (24 Hours/Heures)

(613) 996-6666

SECTION 2: Hazard identification

2.1 Classification of the substance or mixture

GHS classification in accordance with: (CA) WHMIS 2015

- Acute toxicity, inhalation, Cat. 5
- Skin corrosion/irritation, Cat. 3
- Sensitization, skin, Cat. 1

2.2 GHS label elements, including precautionary statements

Pictogram



Signal word Warning

Hazard statement(s)

H317 May cause an allergic skin reaction

Precautionary statement(s)

P261 Avoid breathing dust/fume/gas/mist/vapors/spray.

P272 Contaminated work clothing must not be allowed out of the workplace.

P280 Wear protective gloves.

P302+P352 IF ON SKIN: Wash with plenty of water/...
P321 Specific treatment (see ... on this label).

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P363 Wash contaminated clothing before reuse.

P501 Dispose of contents/container to ...

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Hazardous components

Component

•	
D-limonene (CAS no.: 5989-27-5; EC no.: 227-813-5)	1 - 3 % (weight)
CLASSIFICATIONS: Aspiration hazard, Cat. 1; Flammable liquids, Cat. 3; Hazard	dous to the aquatic environment - acute hazard, Cat. 1; Hazardous to the
aquatic environment - long-term hazard, Cat. 1; Sensitization, skin, Cat. 1; Ski	n corrosion/irritation, Cat. 2. HAZARDS: H226 - Flammable liquid and
vapor; H304 - May be fatal if swallowed and enters airways; H315 - Causes sk	in irritation; H317 - May cause an allergic skin reaction; H400 - Very toxic

to aquatic life; H410 - Very toxic to aquatic life with long lasting effects. 2-Butoxyethanol (CAS no.: 111-76-2; EC no.: 203-905-0; Index no.: 603-014-00-0) 1 - 3 % (weight)

CLASSIFICATIONS: Skin corrosion/irritation, Cat. 2; Serious eye damage/eye irritation, Cat. 2; Acute toxicity, dermal, Cat. 4; Acute toxicity, inhalation, Cat. 4; Acute toxicity, oral, Cat. 4. HAZARDS: H302 - Harmful if swallowed; H312 - Harmful in contact with skin; H315 - Causes skin irritation; H319 - Causes serious eye irritation; H332 - Harmful if inhaled.

Trade secret statement (OSHA 1910.1200(i))

Exact % withheld under Confidential Business Information rules

SECTION 4: First-aid measures

4.1 Description of necessary first-aid measures

General advice Consult a physician. Show this safety data sheet to the doctor in attendance. Move

out of dangerous area.

Version: 1.0, Date of issue: 2018-05-02, Printed on: 2018-05-02, p. 2 of 9

Concentration

If inhaled If affected, remove individual to fresh air. If breathing is difficult, administer oxygen.

If breathing has stopped, give artifical respiration. Keep person warm, quiet, and

get medical attention

In case of skin contact Immediately flush skin with lots of running water for at least 30 minutes. Remove

contaminated clothing and shoes. Wash before reuse.

In case of eye contact Rinse thoroughly with plenty of water for at least 15 minutes. Get medical

attention if symptoms occur.

If swallowed Do NOT induce vomiting. Never give anything by mouth to an unconscious person.

Rinse mouth with water. Consult a physician.

Personal protective equipment for first-aid responders

Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Avoid contact with skin, eyes or clothing. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Wear personal protective clothing (see section

8).

4.2 Most important symptoms/effects, acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11

4.3 Indication of immediate medical attention and special treatment needed, if necessary

No data available.

SECTION 5: Fire-fighting measures

5.1 Suitable extinguishing media

Not considered a fire hazard. Use extinguishing media appropriate for surrounding fire.

5.2 Specific hazards arising from the chemical

No specific fire or explosion hazard.

D-Limonene: Carbon oxides

5.3 Special protective actions for fire-fighters

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Further information

Use water spray to cool unopened containers.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear respiratory protection if necessary. Avoid breathing gas, mist, vapors, spray. Ensure adequate ventilation. Evacuate personnel to safe areas.

For personal protection see section 8.

6.2 Environmental precautions

Do not let concentrated product enter drains.

Version: 1.0, Date of issue: 2018-05-02, Printed on: 2018-05-02, p. 3 of 9

6.3 Methods and materials for containment and cleaning up

Solvents

LARGE SPILLS: Dike far ahead of spill to prevent further movement. Soak up with inert absorbent material (e.g. sand, silica gel). Keep in suitable, closed containers for disposal.

SMALL SPILLS: Contain and absorb with absorbent material and place into containers for later disposal. Dispose of according to local, and Provincial regulations for products containing petroleum distillates.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Put on appropriate personal equipment (see Section 8). Do not get in eyes or on skin or clothing. Do not breathe vapor or mist. Do not ingest. Keep in original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Keep away from acids. Empty containers retain product residue and can be hazardous. Do not reuse container. Wash thoroughly after handling.

7.2 Conditions for safe storage, including any incompatibilities

Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials(see Section 10) and food and drink. Do not store under freezing conditions or above 49 C (120 F). Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Keep out of reach from children.

Specific end use(s)

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

1. D-limonene (CAS: 5989-27-5 EC: 227-813-5)

TLV® (Inhalation): 20 ppm (ACGIH)

2. 2-Butoxyethanol (CAS: 111-76-2 EC: 203-905-0)

PEL (Inhalation): 50 ppm (OSHA)

OSHA Annotated Table Z-1, www.osha.gov

PEL (Inhalation): 240 mg/m3 (OSHA)

OSHA Annotated Table Z-1, www.osha.gov

PEL (Inhalation): 20 ppm (Cal/OSHA)

OSHA Annotated Table Z-1, www.osha.gov

REL (Inhalation): 5 ppm (NIOSH)

OSHA Annotated Table Z-1, www.osha.gov

PEL (Inhalation): 20 ppm

97 mg/m3

California permissible exposure limits for chemical contaminants

(Title 8, Article 107)/Skin

TWA (Inhalation): 50 ppm 240 mg/m3; USA (OSHA)

USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air

Contaminants/Skin designation
The value in mg/m3 is approximate

TWA (Inhalation): 5 ppm 24 mg/m3; USA (NIOSH)

USA. NIOSH Recommended Exposure Limits/Potential for dermal absorption

TWA (Inhalation): 20 ppm; USA (ACGIH)

USA. ACGIH Threshold Limit Values (TLV)/Upper Respiratory Tract irritation Eye irritation Substances for which there is a Biological Exposure Index or Indices (see BEI® section) Confirmed animal carcinogen with unknown relevance to humans

TLV® (Inhalation): 20 ppm; USA (ACGIH)
OSHA Annotated Table Z-1, www.osha.gov

8.2 Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday. Provide local exhaust or general dilution ventilation to keep exposure to airborne contaminants below the permissible exposure limits where mists or vapors may be generated.

8.3 Individual protection measures, such as personal protective equipment (PPE)

Eye/face protection

Recommended: Chemical splash goggles Ensure that eyewash stations and/or safety showers are close to the workstation location if working with concentrated product.

Skin protection

Recommended: Chemical-resistant gloves. Neoprene Nitrile

Respiratory protection

Recommended: Dust mask or Respirator should be worn if product is used in confined space or used for a prolonged period of time.

Orange liquid

SECTION 9: Physical and chemical properties

Appearance/form (physical state, color, etc.)

Information on basic physical and chemical properties

Odor Strong citrus Odor threshold N/D Hq 9-10 Melting point/freezing point N/A Initial boiling point and boiling range >212F Flash point None **Evaporation rate** 1 (water=1) Flammability (solid, gas) N/A

Upper/lower flammability limits LEL=N/A UEL=N/A

Upper/lower explosive limits N/A Vapor pressure N/D Vapor density N/D Relative density N/D Solubility(ies) 100% Partition coefficient: n-octanol/water N/D Auto-ignition temperature N/D N/D Decomposition temperature

Version: 1.0, Date of issue: 2018-05-02, Printed on: 2018-05-02, p. 5 of 9

Viscosity Thin Liquid Explosive properties None Oxidizing properties None

SECTION 10: Stability and reactivity

10.1 Reactivity

Contact with incompatible materials.

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

Stable under normal use conditions.

10.4 Conditions to avoid

None under normal use conditions.

10.5 Incompatible materials

Do not store near acids, carbon dioxide (CO2), and strong oxidizers such as permanganate, chlorine, ectoderm.

10.6 Hazardous decomposition products

2-Butoxyethanol: Hazardous decomposition products formed under fire conditions. - Carbon oxides

Other decomposition products - No data available

In the event of fire: see section 5

SECTION 11: Toxicological information

Information on toxicological effects

Acute toxicity

ATE (inhalation, gaseous) of mixture: 90000 ppmv

2-Butoxyethanol LD50 Oral - Rat - 880 mg/kg

2-Butoxyethanol LD50 Skin - Rabbit - 1,060 mg/kg

2-BUTOXYETHANOL LC50 Inhalation - Rat - 450 ppm

2-Butoxyethanol LC50 - Oncorhynchus mykiss (rainbow trout) - 1,474 mg/l - 96 h

2-Butoxyethanol EC50 - Pseudokirchneriella subcapitata (green algae) - 1,840 mg/l - 72 h

Sodium metasilicate pentahydrate LD50 Oral - Rat - 847 mg/kg

ATE (inhalation, gaseous) of mixture: 150000 ppmv

Skin corrosion/irritation

Acute and delayed symptoms and effects:

May cause skin irritation. Signs/symptoms may include localized redness, swelling, and itching.

Serious eye damage/irritation

Version: 1.0, Date of issue: 2018-05-02, Printed on: 2018-05-02, p. 6 of 9

Acute and delayed symptoms and effects:

Can cause severe irritation, redness, tearing, blurred vision.

Respiratory or skin sensitization

Acute and delayed symptoms and effects:

Breathing of dust or mist can cause mild to severe irritation of nasal or respiratory passage.

Prolonged or repeated contact can cause moderate irritation, defatting, dermatitis.

Germ cell mutagenicity

No data available

Carcinogenicity

Carcinogenicity: Ingredients not listed by OSHA, NTP, IARC.

Reproductive toxicity

No data available.

STOT-single exposure

Primary route of entry: A) Skin B) Inhalation

STOT-repeated exposure

Pre-existing skin, eye and respiratory disorders may be aggravated by exposure to product.

Aspiration hazard

May be harmful if swallowed and enters airways.

Additional information

D-Limonene: *TOXICITY:

typ. dose mode specie amount units other

LDLo idu mus 1 gm/kg

LD50 ipr mus 600 mg/kg

LD50 ipr rat 3600 mg/kg

LD50 ivn rat 110 mg/kg

LD50 orl mus 5600 mg/kg

LD50 orl rat 4400 mg/kg

LD50 scu mus 3170 mg/kg

*SAX TOXICITY EVALUATION:

THR: Poison by intravenous route. Moderately toxic by intraperitoneal and intraduodenal routes. Mildly toxic by ingestion. An experimental tumorigen and teratogen. Experimental reproductive effects.

*CARCINOGENICITY:

Tumorigenic Data:

TDLo: orl-mus 67 gm/kg/39W-I

Status: NTP Carcinogenesis Studies (Gavage); Clear Evidence: Male Rat [620] NTP Carcinogenesis Studies (Gavage); No Evidence: Female Rat, Male and

Female Mouse [620]

*MUTATION DATA:

test lowest dose | test lowest dose

Version: 1.0, Date of issue: 2018-05-02, Printed on: 2018-05-02, p. 7 of 9

^{*}AQTX/TLM96: over 1000 ppm [052]

Not available |

*TERATOGENICITY:

Reproductive Effects Data:

TDLo: orl-dog 680 gm/kg (27W male)
TDLo: orl-mus 3546 mg/kg (7-12D preg)
TDLo: orl-mus 14178 mg/kg (7-12D preg)
TDLo: orl-rat 20083 mg/kg (9-15D preg)
TDLo: orl-rat 252 gm/kg (26W male)
TDLo: orl-rat 83 gm/kg (30D pre)
TDLo: orl-rbt 3250 mg/kg (6-18D preg)

*STANDARDS, REGULATIONS & RECOMMENDATIONS:

OSHA: None ACGIH: None

NIOSH Criteria Document: None NFPA Hazard Rating: Health (H): None

Flammability (F): None Reactivity (R): None

*OTHER TOXICITY DATA:

Review: Toxicology Review

Status: EPA TSCA Chemical Inventory, 1986

EPA TSCA Test Submission (TSCATS) Data Base, January 1989 Meets criteria for proposed OSHA Medical Records Rule

Ingestion of 15 grams of this type of compound has caused death [301]

SECTION 12: Ecological information

Toxicity

ENVIROMENTAL DATA: No known significant effects or critical hazards

ECOTOXICOLOGICAL INFORMATION: Not Available

SECTION 13: Disposal considerations

Disposal of the product

Dispose of contents/ container in accordance with the local/regional/national/international regulations. Dispose of empty bottle in the trash or recycle where facilities exist.

SECTION 14: Transport information

14.1	UN Number	None
14.2	UN Proper Shipping Name	None
14.3	Transport hazard class(es)	None
14.4	Packing group	None
14.5	Environmental hazards	None
14.6	Special precautions for user	None

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code None

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations specific for the product in question

Canadian Domestic Substances List (DSL)

California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

SARA 313 Components

The following components are subject to reporting levels established by SARA Title III, Section 313: Ethylene glycol monobutyl ether

CAS: 111-76-2

SECTION 16: Other information

16.1 Further information/disclaimer

These SDS are written in an effort to provide information to the worker in the workplace and in such a way it can be understood. To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

16.2 Preparation information

Prepared by Craig Gourley

Version: 1.0, Date of issue: 2018-05-02, Printed on: 2018-05-02, p. 9 of 9