



GAP PROFESSIONAL PRODUCTS

Safety Data Sheet Yeehaw Leather & Plastic Cleaner

SECTION 1: Identification

1.1 Product identifier

Product name Yeehaw Leather & Plastic Cleaner

Product number 5582

1.3 Recommended use of the chemical and restrictions on use

Leather and Plastic Cleaner

1.4 Supplier's details

Name GAP Professional Products
Address 122 Route 105
Keswick Ridge NB E6L 1B1
Canada

Telephone (506) 363-9708
Fax (506) 363-4241
email info@gapauto.com

1.5 Emergency phone number(s)

For Medical or Transport Emergencies/
Pour les urgences médicales ou de transport
CANUTEC (24 Hours/Heures)
(613) 996-6666

SECTION 2: Hazard identification

2.1 Classification of the substance or mixture

GHS classification in accordance with: WHMIS 2015

- Serious eye damage/eye irritation, Cat. 2
- Specific target organ toxicity following repeated exposure, Cat. 2

2.2 GHS label elements, including precautionary statements

Safety Data Sheet

Yeehaw Leather & Plastic Cleaner

Pictogram



1. Exclamation mark; 2. Health hazard

Signal word

Warning

Hazard statement(s)

H319

Causes serious eye irritation

H373

May cause damage to organs [organs] through prolonged or repeated exposure [route]

Precautionary statement(s)

P264

Wash ... thoroughly after handling.

P280

Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313

If eye irritation persists: Get medical advice/attention.

P260

Do not breathe dust/fume/gas/mist/vapors/spray.

P314

Get medical advice/attention if you feel unwell.

P501

Dispose of contents/container to ...

SECTION 3: Composition/information on ingredients

3.2 Mixtures

This mixture contains no GHS classified materials above their cut-off values.

Components

Component	Concentration
Ethylenediaminetetraacetic acid tetrasodium salt dihydrate (CAS no.: 64-02-8; EC no.: 200-573-9; Index no.: 607-428-00-2)	1 - < 3 % (weight)
CLASSIFICATIONS: Serious eye damage/eye irritation, Cat. 1; Acute toxicity, oral, Cat. 4. HAZARDS: H302 - Harmful if swallowed; H318 - Causes serious eye damage.	
proprietary nonionic surfactant blend	1 - < 3 % (weight)
CLASSIFICATIONS: No data available. HAZARDS: H315 - Causes skin irritation; H319 - Causes serious eye irritation.	

SECTION 4: First-aid measures

4.1 Description of necessary first-aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

If inhaled

If affected, remove individual to fresh air. If breathing is difficult, administer oxygen. If breathing has stopped, give artificial respiration. Keep person warm, quiet, and get medical attention

Safety Data Sheet

Yeehaw Leather & Plastic Cleaner

In case of skin contact	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Consult a physician if symptoms occur.
In case of eye contact	Rinse thoroughly with plenty of water for at least 15 minutes. Remove contact lenses if easy to do. Get medical attention if symptoms occur.
If swallowed	Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms/effects, acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11

4.3 Indication of immediate medical attention and special treatment needed, if necessary

No data available.

SECTION 5: Fire-fighting measures

5.1 Suitable extinguishing media

Water spray, alcohol resistant foam, BC-powder, carbon dioxide (CO₂)

5.2 Specific hazards arising from the chemical

Nitrogen oxides (NO_x), Carbon monoxide (CO), Carbon dioxide (CO₂)

Ethylenediaminetetraacetic acid tetrasodium salt dihydrate: Carbon oxides, Nitrogen oxides (NO_x), Sodium oxides

5.3 Special protective actions for fire-fighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

Further information

Use water spray to cool unopened containers.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear respiratory protection if necessary. Avoid breathing gas, mist, vapors, spray. Ensure adequate ventilation. Evacuate personnel to safe areas.

For personal protection see section 8.

6.2 Environmental precautions

Do not let concentrated product enter drains.

6.3 Methods and materials for containment and cleaning up

LARGE SPILLS: Dike far ahead of spill to prevent further movement. Recover by pumping or by using a suitable absorbent.

SMALL SPILLS: Contain and absorb with absorbent material and place into containers for later disposal. Wash site of spillage thoroughly with water. Dispose in suitable waste container.

SECTION 7: Handling and storage

Safety Data Sheet

Yeehaw Leather & Plastic Cleaner

7.1 Precautions for safe handling

Put on appropriate personal equipment (see Section 8). Do not get in eyes or on skin or clothing. Do not breathe vapor or mist. Do not ingest. Keep in original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Keep away from acids. Empty containers retain product residue and can be hazardous. Do not reuse container. Wash thoroughly after handling.

7.2 Conditions for safe storage, including any incompatibilities

Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials(see Section 10) and food and drink. Do not store under freezing conditions or above 49 C (120 F). Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Keep out of reach from children.

Specific end use(s)

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

1. Ethylenediaminetetraacetic acid tetrasodium salt dihydrate (CAS: 64-02-8 EC: 200-573-9)

DNEL, Worker - acute effects local (Inhalation): 1.5 mg/m³

DNEL, Worker - chronic effects local (Inhalation): 1.5 mg/m³

PNEC (aquatic organisms): 2.2 mg/l

PNEC (microorganisms): 43 mg/l

PNEC (terrestrial organisms): 0.72 mg/kg

PNEC (aquatic organisms): 1.2 mg/l

PNEC (aquatic organisms): 0.22 mg/l

8.2 Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday. Provide local exhaust or general dilution ventilation to keep exposure to airborne contaminants below the permissible exposure limits where mists or vapors may be generated.

8.3 Individual protection measures, such as personal protective equipment (PPE)

Eye/face protection

Chemical splash goggles. Ensure that eyewash stations and/or safety showers are close to the workstation location if working with concentrated product.

Skin protection

Chemical-resistant gloves. Neoprene Nitrile

Respiratory protection

Recommended: Dust mask or Respirator should be worn if product is used in confined space or used for a prolonged period of time.

SECTION 9: Physical and chemical properties

Safety Data Sheet

Yeehaw Leather & Plastic Cleaner

Information on basic physical and chemical properties

Appearance/form (physical state, color, etc.)	Clear liquid
Odor	Floral
Odor threshold	N/D
pH	12 – 12.4
Melting point/freezing point	N/D
Initial boiling point and boiling range	100 °C
Flash point	N/D
Evaporation rate	N/D
Flammability (solid, gas)	N/A
Upper/lower flammability limits	LFL=N/D UFL=N/D
Upper/lower explosive limits	LEL=N/D UEL=N/D
Vapor pressure	31.69 hPa at 25 °C
Vapor density	N/D
Relative density	1 – 1.02 g/cm ³
Solubility(ies)	100% soluble
Partition coefficient: n-octanol/water	N/D
Auto-ignition temperature	210 °C
Decomposition temperature	N/D
Viscosity	Thin liquid
Explosive properties	None
Oxidizing properties	None

SECTION 10: Stability and reactivity

10.1 Reactivity

Contact with incompatible materials.

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

Stable under normal use conditions.

10.4 Conditions to avoid

None under normal use conditions.

10.5 Incompatible materials

Do not store near acids, carbon dioxide (CO₂), and strong oxidizers such as permanganate, chlorine, ectoderm.

Isopropanol: Oxidizing agents, Acid anhydrides, Aluminium, Halogenated compounds, Acids

Ammonia: Oxidizing agents, Iron, Zinc, Copper, Silver/silver oxides, Cadmium/cadmium oxides, Alcohols, acids, Halogens, Aldehydes

Diethylene glycol butyl ether: Strong oxidizing agents, Light metals

Safety Data Sheet

Yeeshaw Leather & Plastic Cleaner

Ethylenediaminetetraacetic acid tetrasodium salt dihydrate: Strong oxidizing agents, Strong acids

10.6 Hazardous decomposition products

After water evaporates, burning may produce oxides of carbon, traces of sulfur and nitrogen oxides and various hydrocarbons

Hazardous decomposition products formed under fire conditions. - Carbon oxides

Other decomposition products - No data available

In the event of fire: see section 5

Ethylenediaminetetraacetic acid tetrasodium salt dihydrate: Other decomposition products - no data available

In the event of fire: see section 5

SECTION 11: Toxicological information

Information on toxicological effects

Acute toxicity

EDTA, anhydrous

64-02-8

oral 1,913 mg/kg

EDTA, anhydrous

64-02-8 inhalation:

dust/mist 1.5 mg/l/4h

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Respiratory or skin sensitization

Respiratory or skin sensitization

Shall not be classified as a respiratory or skin sensitizer.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic. Shall not be classified as germ cell mutagenic.

Carcinogenicity

Carcinogenicity: Ingredients not listed by OSHA, NTP, IARC.

Reproductive toxicity

No data available.

STOT-single exposure

Primary route of entry: A) Skin B) Inhalation

STOT-repeated exposure

Safety Data Sheet

Yeehaw Leather & Plastic Cleaner

Pre-existing skin, eye and respiratory disorders may be aggravated by exposure to product.

Aspiration hazard

May be harmful if swallowed and enters airways.

SECTION 12: Ecological information

Toxicity

ENVIRONMENTAL DATA: No known significant effects or critical hazards

ECOTOXICOLOGICAL INFORMATION: Not Available

SECTION 13: Disposal considerations

Disposal of the product

Dispose of contents/ container in accordance with the local/regional/national/international regulations. Dispose of empty bottle in the trash or recycle where facilities exist.

SECTION 14: Transport information

14.1	UN Number	None
14.2	UN Proper Shipping Name	None
14.3	Transport hazard class(es)	None
14.4	Packing group	None
14.5	Environmental hazards	None
14.6	Special precautions for user	None
14.7	Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	None

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations specific for the product in question

Canadian Domestic Substances List (DSL)

Canadian Non-Domestic Substances List (NDSL)

SECTION 16: Other information

16.1 Further information/disclaimer

These SDS are written in an effort to provide information to the worker in the workplace and in such a way it can be understood. To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

16.2 Preparation information

Prepared by C. Gourley