



## **Very Very Cherry**

Version number: GHS 1.0 Date of compilation: 2018-05-21

#### **SECTION 1: Identification**

#### **Product identifier** 1.1

Trade name

Very Very Cherry - 6618

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Vehicle wax

#### 1.3 Details of the supplier of the safety data sheet

**GAP Professional Products** 122 Route 205 Keswick Ridge, New Brunswick E6L 1B1

1-506-363-9708 www.gapauto.com

#### 1.4 **Emergency telephone number**

**Emergency information service** 

CANUTEC (24 hours / heures) 1-613-996-6666

### SECTION 2: Hazard(s) identification

#### 2.1 Classification of the substance or mixture

Classification acc. to GHS

Section	Hazard class	Category	Hazard class and category	Hazard state- ment
2.6	flammable liquid	4	Flam. Liq. 4	H227
3.2	skin corrosion/irritation	2	Skin Irrit. 2	H315
3.4S	skin sensitization	1	Skin Sens. 1	H317
3.9	specific target organ toxicity - repeated exposure	1	STOT RE 1	H372
3.10	aspiration hazard	1	Asp. Tox. 1	H304

For full text of abbreviations: see SECTION 16.

The most important adverse physicochemical, human health and environmental effects

Delayed or immediate effects can be expected after short or long-term exposure. The product is combustible and can be ignited by potential ignition sources.

#### 2.2 Label elements

Labeling

- Signal word danger

- Pictograms

GHS07, GHS08



Canada: en Page: 1 / 13

acc. to Hazardous Products Regulations (HPR)

### Very Very Cherry

Version number: GHS 1.0 Date of compilation: 2018-05-21

- Hazard statements

H227 Combustible liquid.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H372 Causes damage to organs through prolonged or repeated exposure.

- Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P260 Do not breathe dust/fume/gas/mist/vapours/spray.
P270 Do not eat, drink or smoke when using this product.

P272 Contaminated work clothing should not be allowed out of the workplace.
P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor.

P302+P352 IF ON SKIN: Wash with plenty of water.
P314 Get medical advice/attention if you feel unwell.

P321 Specific treatment (see on this label).

P331 Do NOT induce vomiting.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
P362+P364 Take off contaminated clothing and wash it before reuse.

P370+P378 In case of fire: Use sand, carbon dioxide or powder extinguisher to extinguish.

P403 Store in a well-ventilated place.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- Hazardous ingredients for labelling

Stoddard Solvent, CMIT/MIT mixture, Distillates (petroleum), hydrotreated light

#### 2.3 Other hazards

This material is combustible, but will not ignite readily.

Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

#### **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Not relevant (mixture)

#### 3.2 Mixtures

Description of the mixture

Name of substance	Identifier	Wt%	Classification acc. to GHS
Stoddard Solvent	CAS No 8052-41-3 64742-47-8	12-<20	Flam. Liq. 3 / H226 Acute Tox. 3 / H331 Skin Irrit. 2 / H315 STOT RE 1 / H372 Asp. Tox. 1 / H304
Distillates (petroleum), hydro- treated light	CAS No 64742-47-8	12-<20	Asp. Tox. 1 / H304
N,N-bis(2-Hydroxyethyl)oleamide	CAS No 93-83-4	1-<3	Skin Irrit. 2 / H315 Eye Irrit. 2 / H319

Canada: en Page: 2 / 13

acc. to Hazardous Products Regulations (HPR)

### **Very Very Cherry**

Version number: GHS 1.0 Date of compilation: 2018-05-21

Name of substance	Identifier	Wt%	Classification acc. to GHS
CMIT/MIT mixture	CAS No 55965-84-9	0-<0.1	Acute Tox. 3 / H301 Acute Tox. 3 / H311 Acute Tox. 3 / H331 Skin Corr. 1B / H314 Eye Dam. 1 / H318 Skin Sens. 1 / H317

For full text of abbreviations: see SECTION 16.

#### **SECTION 4: First-aid measures**

#### 4.1 Description of first- aid measures

#### General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

#### Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. In case of respiratory tract irritation, consult a physician. Provide fresh air.

#### Following skin contact

Wash with plenty of soap and water.

#### Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

#### Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

#### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

#### 4.3 Indication of any immediate medical attention and special treatment needed

none

### **SECTION 5: Fire-fighting measures**

#### 5.1 Extinguishing media

Suitable extinguishing media

Water spray, BC-powder, Carbon dioxide (CO2)

Unsuitable extinguishing media

Water jet

#### 5.2 Special hazards arising from the substance or mixture

In case of insufficient ventilation and/or in use, may form flammable/explosive vapor-air mixture. Solvent vapors are heavier than air and may spread along floors. Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures.

#### Hazardous combustion products

Nitrogen oxides (NOx), Carbon monoxide (CO), Carbon dioxide (CO2)

Canada: en Page: 3 / 13

acc. to Hazardous Products Regulations (HPR)

### Very Very Cherry

Version number: GHS 1.0 Date of compilation: 2018-05-21

#### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

#### **SECTION 6: Accidental release measures**

### 6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapors/dust/aerosols/gases.

#### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

#### 6.3 Methods and material for containment and cleaning up

Advices on how to contain a spill

Covering of drains

Advices on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

#### Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

#### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

### **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Recommendations

#### - Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Avoidance of ignition sources. Keep away from sources of ignition - No smoking. Take precautionary measures against static discharge. Use only in well-ventilated areas. Due to danger of explosion, prevent leakage of vapours into cellars, flues and ditches. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools.

#### - Specific notes/details

Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures. Vapors are heavier than air, spread along floors and form explosive mixtures with air. Vapors may form explosive mixtures with air.

#### Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

Canada: en Page: 4 / 13

acc. to Hazardous Products Regulations (HPR)

## **Very Very Cherry**

Version number: GHS 1.0 Date of compilation: 2018-05-21

#### 7.2 Conditions for safe storage, including any incompatibilities

Managing of associated risks

- Explosive atmospheres

Keep container tightly closed and in a well-ventilated place. Use local and general ventilation. Keep cool. Protect from sunlight.

- Flammability hazards

Keep away from sources of ignition - No smoking. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take precautionary measures against static discharge. Protect from sunlight.

Control of the effects

Protect against external exposure, such as

Frost

- Ventilation requirements

Use local and general ventilation. Ground/bond container and receiving equipment.

#### 7.3 Specific end use(s)

See section 16 for a general overview.

#### SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

Occupational exposure limit values (Workplace Exposure Limits)

Coun try	Name of agent	CAS No	Identifi- er	TWA [ppm]	TWA [mg/m³]	STEL [ppm]	STEL [mg/m³]	Source
CA	Jet fuels	64742-47-8	OEL (BC)		200			"BC Regula- tion"
CA	stoddard solvent	8052-41-3	OEL (AB)	100	572			OHS Code
CA	stoddard solvent	8052-41-3	PEV/VE A	100	525			Regulation OHS
CA	Stoddard solvent (mineral spirits)	8052-41-3	OEL (BC)		290		580	"BC Regula- tion"

Notation

STEL short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)

otherwise specified)

TWA time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified

#### Relevant DNELs of components of the mixture

Name of substance	CAS No	End- point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
Stoddard Solvent	8052-41-3 64742-47-8	DNEL	44 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
Stoddard Solvent	8052-41-3 64742-47-8	DNEL	55 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	acute - systemic effects
Stoddard Solvent	8052-41-3 64742-47-8	DNEL	44 mg/m³	human, inhalatory	worker (industry)	chronic - local ef- fects

Canada: en Page: 5 / 13

acc. to Hazardous Products Regulations (HPR)

## **Very Very Cherry**

Version number: GHS 1.0 Date of compilation: 2018-05-21

#### Relevant DNELs of components of the mixture Name of substance CAS No End-**Threshold** Protection goal, Used in **Exposure time** point level route of exposure 8052-41-3 human, inhalatory Stoddard Solvent **DNEL** 55 mg/m<sup>3</sup> worker (industry) acute - local ef-64742-47-8 fects Stoddard Solvent 8052-41-3 DNEL 80 mg/kg chronic - systemic human, dermal worker (industry) 64742-47-8 bw/day effects 30 mg/kg acute - systemic Stoddard Solvent 8052-41-3 **DNEL** human, dermal worker (industry) 64742-47-8 effects bw/day N,N-bis(2-Hy-93-83-4 **DNEL** 73.44 mg/m<sup>3</sup> human, inhalatory worker (industry) chronic - systemic droxyethyl)oleamide effects

human, dermal

human, dermal

worker (industry)

worker (industry)

chronic - systemic

effects

chronic - local ef-

fects

4.16 mg/kg

bw/day

31.2 μg/cm<sup>2</sup>

**DNEL** 

DNEL

93-83-4

93-83-4

#### Relevant PNECs of components of the mixture Name of substance CAS No End-Threshold Organism **Environmental** Exposure time level compartment point 8052-41-3 short-term (single Stoddard Solvent **PNEC** 0.14 mg/<sub>1</sub> aquatic organisms freshwater 64742-47-8 instance) Stoddard Solvent 8052-41-3 **PNEC** $0.35 \frac{mg}{l}$ aquatic organisms marine water short-term (single 64742-47-8 instance) $1.14 \frac{mg}{kq}$ Stoddard Solvent 8052-41-3 **PNEC** freshwater sedishort-term (single aquatic organisms 64742-47-8 ment instance) $0.14 \frac{mg}{kg}$ Stoddard Solvent 8052-41-3 **PNEC** aquatic organisms marine sediment short-term (single 64742-47-8 instance) N,N-bis(2-Hy-93-83-4 $0.007 \frac{mg}{I}$ **PNEC** freshwater aquatic organisms short-term (single droxyethyl)oleamide instance) N,N-bis(2-Hy-93-83-4 **PNEC** $0.001 \frac{mg}{l}$ aquatic organisms marine water short-term (single droxyethyl)oleamide instance) $830 \ ^{mg}/_{I}$ N,N-bis(2-Hy-93-83-4 **PNEC** aquatic organisms sewage treatment short-term (single droxyethyl)oleamide plant (STP) instance) $1.227 \frac{mg}{kg}$ **PNEC** N,N-bis(2-Hy-93-83-4 aquatic organisms freshwater sedishort-term (single droxyethyl)oleamide ment instance) **PNEC** $0.123 \frac{mg}{kg}$ N,N-bis(2-Hy-93-83-4 aquatic organisms marine sediment short-term (single droxyethyl)oleamide instance) 0.241 mg/kg 93-83-4 **PNFC** N,N-bis(2-Hyterrestrial organisms soil short-term (single droxyethyl)oleamide instance)

#### 8.2 Exposure controls

Appropriate engineering controls

General ventilation.

N,N-bis(2-Hy-

droxyethyl)oleamide

N,N-bis(2-Hy-

droxyethyl)oleamide

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Canada: en Page: 6 / 13

acc. to Hazardous Products Regulations (HPR)

## **Very Very Cherry**

Version number: GHS 1.0 Date of compilation: 2018-05-21

#### Skin protection

#### - Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

#### - Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

#### Respiratory protection

In case of inadequate ventilation wear respiratory protection.

#### Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

### **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

#### **Appearance**

Physical state	liquid
Color	light pink
Odor	fruity

#### Other safety parameters

pH (value)	7.1 (25 °C)
Melting point/freezing point	not determined
Initial boiling point and boiling range	>65 °C at 1 atm
Flash point	68 °C at 101.3 kPa 154 °F at 1 atm
Evaporation rate	not determined
Flammability (solid, gas)	not relevant, (fluid)

#### **Explosive limits**

- Lower explosion limit (LEL)	0.6 vol%
- Upper explosion limit (UEL)	6 vol%
Vapor pressure	31.69 hPa at 25 °C
Density	0.98 <sup>g</sup> / <sub>cm³</sub> 8.14 lbs/US Gal
Vapor density	this information is not available

Canada: en Page: 7 / 13

acc. to Hazardous Products Regulations (HPR)

### **Very Very Cherry**

Version number: GHS 1.0 Date of compilation: 2018-05-21

Relative density	0.98 at 25 °C (water = 1)
Solubility(ies)	not determined

#### Partition coefficient

- n-octanol/water (log KOW)	this information is not available
Auto-ignition temperature	215 °C
Viscosity	not determined
Explosive properties	not explosive (GHS of the United Nations, annex 4)
Oxidizing properties	none

#### 9.2 Other information

,	T3 (maximum permissible surface temperature on the equipment: 200°C)
---	--

### **SECTION 10: Stability and reactivity**

### 10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials". The mixture contains reactive substance(s). Risk of ignition.

If heated:

Risk of ignition

#### 10.2 Chemical stability

See below "Conditions to avoid".

#### 10.3 Possibility of hazardous reactions

No known hazardous reactions.

#### 10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

#### Hints to prevent fire or explosion

Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

#### 10.5 Incompatible materials

Oxidizers

#### 10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

Canada: en Page: 8 / 13

acc. to Hazardous Products Regulations (HPR)

## **Very Very Cherry**

Version number: GHS 1.0 Date of compilation: 2018-05-21

### **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

#### Classification acc. to GHS

Acute toxicity

Shall not be classified as acutely toxic.

GHS of the United Nations, annex 4: May be harmful if inhaled.

Acute toxicity estimate (ATE) of components of the mixture							
Name of substance CAS No Exposure route ATE							
Stoddard Solvent	8052-41-3 64742-47-8	inhalation: vapour	5.5 <sup>mg</sup> / <sub>l</sub> /4h				
CMIT/MIT mixture	55965-84-9	oral	100 <sup>mg</sup> / <sub>kg</sub>				
CMIT/MIT mixture	55965-84-9	dermal	300 <sup>mg</sup> / <sub>kg</sub>				
CMIT/MIT mixture	55965-84-9	inhalation: vapour	3 <sup>mg</sup> / <sub>l</sub> /4h				

#### Skin corrosion/irritation

Causes skin irritation.

#### Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

#### Respiratory or skin sensitization

May cause an allergic skin reaction.

#### Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

#### Carcinogenicity

Shall not be classified as carcinogenic.

#### Reproductive toxicity

Shall not be classified as a reproductive toxicant.

#### Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

### Specific target organ toxicity - repeated exposure

Causes damage to organs through prolonged or repeated exposure.

#### Aspiration hazard

May be fatal if swallowed and enters airways.

Canada: en Page: 9 / 13

acc. to Hazardous Products Regulations (HPR)

### **Very Very Cherry**

Version number: GHS 1.0 Date of compilation: 2018-05-21

#### **SECTION 12: Ecological information**

#### 12.1 Toxicity

Very toxic to aquatic life with long lasting effects.

#### 12.2 Persistence and degradability

Data are not available.

#### 12.3 Bioaccumulative potential

Data are not available.

#### 12.4 Mobility in soil

Data are not available.

#### 12.5 Results of PBT and vPvB assessment

Data are not available.

#### 12.6 Other adverse effects

Endocrine disrupting potential

The mixture contains substance(s) with an endocrine disrupting potential.

### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Waste treatment-relevant information

Solvent reclamation/regeneration.

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packages

Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

#### Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

#### **SECTION 14: Transport information**

14.1 UN number	not subject to transport regulations
----------------	--------------------------------------

14.2 UN proper shipping name not relevant

14.3 Transport hazard class(es) none

14.4 Packing group not relevant

**14.5** Environmental hazards non-environmentally hazardous acc. to the dangerous

goods regulations

#### 14.6 Special precautions for user

There is no additional information.

#### 14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

The cargo is not intended to be carried in bulk.

Canada: en Page: 10 / 13

acc. to Hazardous Products Regulations (HPR)

## **Very Very Cherry**

Version number: GHS 1.0 Date of compilation: 2018-05-21

#### Information for each of the UN Model Regulations

**International Maritime Dangerous Goods Code (IMDG)** 

Not subject to IMDG.

International Civil Aviation Organization (ICAO-IATA/DGR)

Not subject to ICAO-IATA.

### **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations specific for the product in question National regulations (United States)

#### Superfund Amendment and Reauthorization Act (SARA TITLE III )

- The List of Extremely Hazardous Substances and Their Threshold Planning Quantities (EPCRA Section 302, 304)

none of the ingredients are listed

Clean Air Act

none of the ingredients are listed

New Jersey Worker and Community Right to Know Act

Diabt to	1/nour l	lazardana	Substance	1 :0+

Name acc. to inventory	CAS No	Remarks	Classifications
stoddard solvent	8052-41-3		F2

Legend

F2 Flammable - Second Degree

#### Industry or sector specific available guidance(s)

#### **NPCA-HMIS® III**

Hazardous Materials Identification System. American Coatings Association.

Category	Rating	Description
Chronic	*	chronic (long-term) health effects may result from repeated overexposure
Health	2	temporary or minor injury may occur
Flammability	2	material that must be moderately heated or exposed to relatively high ambient temperat- ures before ignition can occur
Physical hazard	0	material that is normally stable, even under fire conditions, and will not react with water, polymerize, decompose, condense, or self-react. Non-explosive
Personal protection	-	

#### **NFPA® 704**

National Fire Protection Association: Standard System for the Identification of the Hazards of Materials for Emergency Response (United States).

Canada: en Page: 11 / 13

acc. to Hazardous Products Regulations (HPR)

## **Very Very Cherry**

Version number: GHS 1.0 Date of compilation: 2018-05-21

Category	Degree of hazard	Description
Flammability	2	material that must be moderately heated or exposed to relatively high ambient temperat- ures before ignition can occur
Health	2	material that, under emergency conditions, can cause temporary incapacitation or residual injury
Instability	0	material that is normally stable, even under fire conditions
Special hazard		

### 15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

### SECTION 16: Other information, including date of preparation or last revision

### Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
"BC Regulation"	OHS Regulation: Section 5.48 (British Columbia)
Acute Tox.	Acute toxicity
Asp. Tox.	Aspiration hazard
ATE	Acute Toxicity Estimate
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
Flam. Liq.	Flammable liquid
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
MARPOL	International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant")
NPCA-HMIS® III	National Paint and Coatings Association: Hazardous Materials Identification System - HMIS® III, Third Edition
OHS Code	Occupational Health and Safety Code: Occupational exposure limits for chemical substances (Alberta)
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
Regulation OHS	Regulation respecting occupational health and safety: Permissible exposure values for airborne contaminants (Quebec)
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin

Canada: en Page: 12 / 13

acc. to Hazardous Products Regulations (HPR)

## **Very Very Cherry**

Version number: GHS 1.0 Date of compilation: 2018-05-21

Abbr.	Descriptions of used abbreviations
Skin Sens.	Skin sensitization
STEL	Short-term exposure limit
STOT RE	Specific target organ toxicity - repeated exposure
TWA	Time-weighted average
vPvB	Very Persistent and very Bioaccumulative

#### Key literature references and sources for data

Hazardous Products Regulations (HPR).

UN Recommendations on the Transport of Dangerous Good. International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

#### Classification procedure

Physical and chemical properties: The classification is based on tested mixture.

Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

#### List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code	Text
H226	Flammable liquid and vapor.
H227	Combustible liquid.
H301	Toxic if swallowed.
H304	May be fatal if swallowed and enters airways.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H372	Causes damage to organs through prolonged or repeated exposure.

#### **Disclaimer**

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

Canada: en Page: 13 / 13