



GAP PROFESSIONAL PRODUCTS

Safety Data Sheet Wash X

SECTION 1: Identification

1.1 Product identifier

Product name Wash X

Product number 7783

1.3 Recommended use of the chemical and restrictions on use automotive wash with ceramic additive

1.4 Supplier's details

Name GAP Professional Products
Address 122 Route 105
Keswick Ridge NB E6L 1B1
Canada

Telephone (506) 363-9708
Fax (506) 363-4241
email info@gapauto.com

1.5 Emergency phone number(s)

For Medical or Transport Emergencies / Pour les urgences médicales ou de transport
CANUTEC (24 Hours)
(613) 996-6666

SECTION 2: Hazard identification

2.1 Classification of the substance or mixture

GHS classification in accordance with: WHMIS 2015

- Aspiration hazard, Cat. 1
- Serious eye damage/eye irritation, Cat. 2A
- Toxic to reproduction, Cat. 2
- Skin sensitizer, Cat. 1

Safety Data Sheet

Wash X

2.2 GHS label elements, including precautionary statements

Pictogram



1. Health hazard; 2. Exclamation mark

Hazard statement(s)

H304	May be fatal if swallowed and enters airways
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H361	Suspected of damaging fertility or the unborn child [effect, route]

Precautionary statement(s)

P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P234	Keep only in original packaging.
P261	Avoid breathing dust/fume/gas/mist/vapors/spray.
P264	Wash ... thoroughly after handling.
P272	Contaminated work clothing should not be allowed out of the workplace.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/doctor/...
P302+P352	IF ON SKIN: Wash with plenty of water/...
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308+P313	IF exposed or concerned: Get medical advice/attention.
P321	Specific treatment (see ... on this label).
P331	Do NOT induce vomiting.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P337+P313	If eye irritation persists: Get medical advice/attention.
P362+P364	Take off contaminated clothing and wash it before reuse.
P405	Store locked up.
P501	Dispose of contents/container to ...

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Hazardous components

Component	Concentration
dimethyl,(aminoethylaminopropyl) methyl siloxane, trimethylsiloxy-terminated	12 - < 20 % (weight)
CLASSIFICATIONS: No data available. HAZARDS: No data available.	
OCTAMETHYLCYCLOTETRAILOXANE (CAS no.: 556-67-2; EC no.: 209-136-7; Index no.: 014-018-00-1)	0.1 - < 1 % (weight)
CLASSIFICATIONS: Toxic to reproduction, Cat. 2; Hazardous to the aquatic environment, long-term (chronic), Cat. 4. HAZARDS: H361f - ; H413 - May cause long lasting harmful effects to aquatic life.	

Safety Data Sheet

Wash X

Reaction mass of: 5-Chloro-2-methyl4- isothiazolin-3-one and 2-Methyl-2H-isothiazol-3-one (3:1) (CAS no.: 55965-84-9; EC no.: —; Index no.: 613-167-00-5) < 0.1 % (weight)

CLASSIFICATIONS: Acute toxicity, inhalation, Cat. 3; Acute toxicity, dermal, Cat. 3; Acute toxicity, oral, Cat. 3; Skin corrosion/irritation, Cat. 1B; Skin sensitizer, Cat. 1; Hazardous to the aquatic environment, short-term (acute), Cat. 1; Hazardous to the aquatic environment, long-term (chronic), Cat. 1. HAZARDS: H301 - Toxic if swallowed; H311 - Toxic in contact with skin; H314 - Causes severe skin burns and eye damage; H317 - May cause an allergic skin reaction; H331 - Toxic if inhaled; H400 - Very toxic to aquatic life; H410 - Very toxic to aquatic life with long lasting effects.

SECTION 4: First-aid measures

4.1 Description of necessary first-aid measures

General advice	Consult a physician. Show this safety data sheet to the doctor in attendance. Do not leave affected person unattended. Remove victim out of the danger area. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.
If inhaled	If affected, remove individual to fresh air. If breathing is difficult, administer oxygen. If breathing has stopped, give artificial respiration. Keep person warm, quiet, and get medical attention
In case of skin contact	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Consult a physician
In case of eye contact	Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Continue rinsing eyes during transport to hospital.
If swallowed	DO NOT INDUCE VOMITING. Call physician immediately. If conscious give lots of water or milk. Do not give anything by mouth to an unconscious or convulsing person.
Personal protective equipment for first-aid responders	Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Avoid contact with skin, eyes or clothing. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Wear personal protective clothing (see section 8).

SECTION 5: Fire-fighting measures

5.1 Suitable extinguishing media

Regular foam, waterfog, carbon dioxide or dry chemical. Keep containers cool with water spray using fog nozzles.

5.2 Specific hazards arising from the chemical

Vapors are heavier than air and may travel along the ground or be moved by ventilation and ignited by heat, pilot lights and other flames in locations distant from the material handling point.

Reaction mass of: 5-Chloro-2-methyl4- isothiazolin-3-one and 2-Methyl-2H-isothiazol-3-one (3:1) : Carbon oxide. Nitrogen oxides.

5.3 Special protective actions for fire-fighters

Safety Data Sheet

Wash X

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

See Section 8 for recommended personal protective equipment.

6.2 Environmental precautions

Should not be released into the environment.

6.3 Methods and materials for containment and cleaning up

Solvents

LARGE SPILLS: Dike far ahead of spill to prevent further movement. Soak up with inert absorbent material (e.g. sand, silica gel). Keep in suitable, closed containers for disposal.

SMALL SPILLS: Contain and absorb with absorbent material and place into containers for later disposal. Dispose of according to local, and Provincial regulations for products containing petroleum distillates.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Put on appropriate personal equipment (see Section 8). Do not get in eyes or on skin or clothing. Do not breathe vapor or mist. Do not ingest. Keep in original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Keep away from acids. Empty containers retain product residue and can be hazardous. Do not reuse container. Wash thoroughly after handling.

7.2 Conditions for safe storage, including any incompatibilities

Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Do not store under freezing conditions or above 49 C (120 F). Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Keep out of reach from children.

Specific end use(s)

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

1. OCTAMETHYLCYCLOTETRASILOXANE (CAS: 556-67-2 EC: 209-136-7)

DNEL, Worker - chronic effects systemic (Inhalation): 73 mg/m³

DNEL, Worker - acute effects systemic (Inhalation): 73 mg/m³

DNEL, Worker - chronic effects local (Inhalation): 73 mg/m³

DNEL, Worker - acute effects local (Inhalation): 73 mg/m³

8.2 Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

8.3 Individual protection measures, such as personal protective equipment (PPE)

Safety Data Sheet

Wash X

Eye/face protection

Splash goggles

Skin protection

Chemical resistant gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Wash and dry hands after use.

Body protection

Skin Protection: Protective gloves (for hands). Long sleeve shirts and pants should be worn to protect exposed skin.

Respiratory protection

Recommended: Dust mask or Respirator should be worn if product is used in confined space or used for a prolonged period of time.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Appearance/form (physical state, color, etc.)	Green Liquid
Odor	Fruity
Odor threshold	
pH	5.5 – 6.5 (25 °C)
Melting point/freezing point	Not Available
Initial boiling point and boiling range	100 °C
Flash point	>100 °C at 101.3 kPa >200 °F at 1 atm
Evaporation rate	<1 (l'eau = 1)
Flammability (solid, gas)	N/A
Upper/lower flammability limits	LEL=0.9% UEL=6%
Vapor pressure	31.69 hPa at 25 °C
Vapor density	Not Determined
Relative density	0.99 – 1.01 g/cm ³ at 20 °C
Solubility(ies)	100% soluble
Partition coefficient: n-octanol/water	Not Determined
Auto-ignition temperature	Not Determined
Decomposition temperature	Not Determined
Viscosity	Solid Matter
Explosive properties	
Oxidizing properties	

SECTION 10: Stability and reactivity

10.1 Reactivity

None under normal use conditions.

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

Will not occur.

10.4 Conditions to avoid

Safety Data Sheet Wash X

Heat, flames and sparks.

10.5 Incompatible materials

Avoid contact with acids and strong oxidizers such as permanganate, chlorine, ectoderm. Do not store near acids, carbon dioxide (CO₂), and strong oxidizers such as permanganate, chlorine, ectoderm.

Isopropanol: Oxidizing agents, Acid anhydrides, Aluminium, Halogenated compounds, Acids

2-Butoxyethanol: Strong oxidizing agents

Distillates, petroleum, hydrotreated light: Strong oxidizing agents, Strong bases, Strong acids, Amines

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

Information on toxicological effects

Acute toxicity

reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H -isothiazol-3-one (3:1)
55965-84-9
oral 100 mg/kg

reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H -isothiazol-3-one (3:1)
55965-84-9
dermal 300 mg/kg

reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H -isothiazol-3-one (3:1)
55965-84-9
inhalation: vapor 3 mg/l/4h

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Respiratory or skin sensitization

Shall not be classified as a respiratory or skin sensitizer.

Germ cell mutagenicity

Safety Data Sheet

Wash X

No data available

Carcinogenicity

Carcinogenicity: Ingredients not listed by OSHA, NTP, IARC.

Reproductive toxicity

No data available

Summary of evaluation of the CMR properties

Not Available

STOT-single exposure

Primary route of entry: A) Skin B) Inhalation

STOT-repeated exposure

Pre-existing skin, eye and respiratory disorders may be aggravated by exposure to product.

Additional information

OCTAMETHYLCYCLOTETRASILOXANE: ROUTE OF EXPOSURE

Skin Contact: May cause skin irritation.

Skin Absorption: May be harmful if absorbed through the skin.

Eye Contact: May cause eye irritation.

Inhalation: May be harmful if inhaled. Material may be

irritating to mucous membranes and upper respiratory tract.

Ingestion: May be harmful if swallowed.

SIGNS AND SYMPTOMS OF EXPOSURE

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

TOXICITY DATA

Oral

Rat

> 2,000 mg/kg

LD50

Skin

Rat

> 2,400 mg/kg

LD50

Skin

Rabbit

> 4,640 mg/kg

LD50

Oral

Rat

1540 mg/kg

LD50

Remarks: Behavioral:Tremor.

Inhalation

Rat

36,000 mg/m³

LC50

Remarks: Behavioral:Excitement. Lungs, Thorax, or

Safety Data Sheet Wash X

Respiration:Dyspnea. Skin and Appendages: Other: Hair.

Skin

Rat

1770 mg/kg

LD50

Remarks: Behavioral:Tremor. Gastrointestinal:Changes in structure or function of salivary glands. Liver:Other changes.

Skin

Rabbit

794 UL/KG

LD50

Remarks: Kidney, Ureter, Bladder:Hematuria.

IRRITATION DATA

Skin

Rabbit

500 mg

24H

Remarks: Mild irritation effect

Eyes

Rabbit

500 mg

24H

Remarks: Mild irritation effect

CHRONIC EXPOSURE - REPRODUCTIVE HAZARD

Result: Overexposure may cause reproductive disorder(s) based on tests with laboratory animals.

Species: Rat

Dose: 500 PPM

Route of Application: Inhalation

Exposure Time: (70D MALE/70D PRE-3W POST)

Result: Effects on Newborn: Live birth index (# fetuses per litter; measured after birth).

SECTION 12: Ecological information

Toxicity

dimethyl,(aminoethylaminopropyl) methyl siloxane, trimethylsiloxyterminated

EL50 62 mg/l daphnia magna 48 h

octamethylcyclotetrasiloxane

556-67-2

LC50 >22 µg/l fish 96 h

octamethylcyclotetrasiloxane

556-67-2

EC50 >1,000 mg/l aquatic invertebrates 96 h

octamethylcyclotetrasiloxane

556-67-2

LC50 10 µg/l fish 14 d

octamethylcyclotetrasiloxane

Safety Data Sheet

Wash X

556-67-2

EC50 >500 mg/l aquatic invertebrates 24 h

SECTION 13: Disposal considerations

Disposal of the product

Dispose of accordance in local, and provincial regulations for solvent materials.

SECTION 14: Transport information

DOT (US)

Not dangerous goods

IMDG

Not dangerous goods

IATA

Not dangerous goods

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations specific for the product in question

Canadian Domestic Substances List (DSL)

Canadian Non-Domestic Substances List (NDSL)

SECTION 16: Other information

16.1 Further information/disclaimer

These SDS are written in an effort to provide information to the worker in the workplace and in such a way it can be understood. To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

16.2 Preparation information

Prepared by: C. Gourley