

# Safety Data Sheet

## Lefty Loosey Foaming Penetrating Spray

### SECTION 1. IDENTIFICATION

**Product Identifier** Lefty Loosey Foaming Penetrating  
**Spray Part number** 88260  
**Product Family** Mixture  
**Recommended Use** Penetrant.  
**Restrictions on Use** None known.  
**Supplier Identifier** The GAP Group of Companies  
122 Route 105  
Keswick Ridge, NB E6L 1B1  
506.461.7069  
**Emergency Phone No.** CANUTEC, +1.613.996.6666, Operation hours: 24/7

### SECTION 2. HAZARD IDENTIFICATION

#### Classification

Flammable aerosol - Category 1; Gas under pressure - Compressed gas; Skin irritation - Category 2; Eye irritation - Category 2A; Aspiration hazard - Category 1

#### Label Elements



#### Danger

Extremely flammable aerosol.

Contains gas under pressure; may explode if heated.

Pressurized container: may burst if heated.

May be fatal if swallowed and enters airways.

Causes skin irritation.

Causes serious eye irritation.

Keep away from heat, sparks, open flames, and hot surfaces. – No smoking.

Do not spray on an open flame or other ignition source.

Pressurized container: Do not pierce or burn, even after use.

Wash hands and skin thoroughly after handling.

Wear protective gloves.

Wear eye protection/face protection.

IF SWALLOWED: Immediately call a POISON CENTRE or doctor.

Do NOT induce vomiting.

IF ON SKIN: Wash with plenty of water.

Take off contaminated clothing and wash it before reuse.

If skin irritation occurs: Get medical advice/attention.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

---

Product Identifier: Lefty Loosey Foaming Penetrating Spray - Ver. 1

SDS No.: A-0010-00

Date of Preparation: June 05, 2018

Date of Last Revision:

Continue rinsing.

If eye irritation persists: Get medical advice/attention.

Store locked up.

Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

Store in a well-ventilated place.

Dispose of contents and container in accordance with local, regional, national and international regulations.

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Mixture:

Chemical Name	CAS No.	%	Other Identifiers	Other Names
Petroleum gases, liquefied	68476-85-7	10-30		
1,2,4-Trimethylbenzene	95-63-6	10-30		
Solvent naphthat (petroleum), light aromatic	64742-95-6	10-15		
Oleic acid	112-80-1	5-10		
Methyl isobutyl carbinol	108-11-2	3-7		
2-Butoxyethanol	111-76-2	3-7		
1,3,5-Trimethylbenzene	108-67-8	1-5		
Distillates (petroleum), hydrotreated heavy naphthenic	64742-52-5	1-5		
Hydrotreated light naphthenic distillate	64742-53-6	1-5		
Amides, coco, Ú,Ú-bis(hydroxyethyl)	68603-42-9	1-5		
2,2-iminodiethanol	111-42-2	0.1-1.0		
Xylene (mixed isomers)	1330-20-7	0.1-1.0		
Diethylbenzene	25340-17-4	0.1-1.0		
Cumene	98-82-8	0.1-1.0		

#### Notes

Any concentration shown as a range is due to batch processing.

### SECTION 4. FIRST-AID MEASURES

#### First-aid Measures

##### Inhalation

Remove source of exposure or move to fresh air. If breathing is difficult, trained personnel should administer emergency oxygen if advised to do so by Poison Centre or doctor. If experiencing respiratory symptoms (e.g. coughing, shortness of breath, wheezing), call a Poison Centre or doctor. If breathing has stopped, trained personnel should begin rescue breathing. Immediately call a Poison Centre or doctor.

##### Skin Contact

Take off contaminated clothing, shoes and leather goods (e.g. watchbands, belts). Wash gently and thoroughly with lukewarm, gently flowing water and mild soap for 5 minutes. If skin irritation occurs, get medical advice or attention.

##### Eye Contact

Immediately rinse the contaminated eye(s) with lukewarm, gently flowing water for 15-20 minutes, while holding the eyelid(s) open. If a contact lens is present, DO NOT delay flushing or attempt to remove the lens. Take care not to rinse contaminated water into the unaffected eye or onto the face. If eye irritation persists, get medical advice or attention.

##### Ingestion

Never give anything by mouth if person is rapidly losing consciousness, or is unconscious or convulsing. Do not

Product Identifier: Lefty Loosey Foaming Penetrating Spray - Ver. 1

SDS No.: A-0010-00

Date of Preparation: June 05, 2018

Date of Last Revision:

Page 02 of 08

induce vomiting. If vomiting occurs naturally, lie on your side in the recovery position. Rinse mouth with water again. Drink two glasses of water. Immediately call a Poison Centre or doctor.

## SECTION 5. FIRE-FIGHTING MEASURES

### Extinguishing Media

#### Suitable Extinguishing Media

Carbon dioxide or dry chemical.

#### Unsuitable Extinguishing Media

DO NOT use water or water-based extinguishing agents.

### Specific Hazards Arising from the Product

Contains gas under pressure; may explode if heated. Flammable aerosol. May travel a considerable distance to a source of ignition and flash back to a leak or open container.

Carbon oxides, and other unidentified organic compounds.

### Special Protective Equipment and Precautions for Fire-fighters

See Skin Protection in Section 8 (Exposure Controls/Personal Protection) for advice on suitable chemical protective materials.

## SECTION 6. ACCIDENTAL RELEASE MEASURES

### Personal Precautions, Protective Equipment, and Emergency Procedures

Evacuate the area immediately. Isolate the hazard area. Keep out unnecessary and unprotected personnel. Remove or isolate incompatible materials as well as other hazardous materials. Use the personal protective equipment recommended in Section 8 of this safety data sheet.

### Environmental Precautions

Do not allow into any sewer, on the ground or into any waterway. If the spill is inside a building, prevent product from entering drains, ventilation systems and confined areas.

### Methods and Materials for Containment and Cleaning Up

Contain and soak up spill with absorbent that does not react with spilled product. Contaminated absorbent poses the same hazard as the spilled product. Place used absorbent into suitable, covered, labelled containers for disposal.

## SECTION 7. HANDLING AND STORAGE

### Precautions for Safe Handling

It is good practice to: avoid breathing product; avoid skin and eye contact and wash hands after handling. Only use where there is adequate ventilation.

### Conditions for Safe Storage

Store in an area that is: cool, dry, well-ventilated. Store at temperatures not exceeding: 40°C.

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control Parameters

Chemical Name	ACGIH® TLV®		OSHA PEL	
	TWA	STEL [C]	TWA	Ceiling
Methyl isobutyl carbinol	25 ppm Skin	40 ppm	25 ppm	Not established
1,3,5-Trimethylbenzene	25 ppm	Not established	Not established	Not established
2,2-iminodiethanol	1 mg/m3 A3	Not established	15 mg/m3	Not established
2-Butoxyethanol	20 ppm A3	Not established	240 mg/m3	Not established
Xylene (mixed isomers)	100 ppm A4	150 ppm A4	435 mg/m3	Not established
1,2,4-Trimethylbenzene	25 ppm	Not established	Not established	Not established

Product Identifier: Lefty Loosey Foaming Penetrating Spray - Ver. 1

SDS No.: A-0010-00

Date of Preparation: June 05, 2018

Date of Last Revision:

Cumene	50 ppm	Not established	50 ppm	Not established
--------	--------	-----------------	--------	-----------------

### Appropriate Engineering Controls

Sufficient mechanical ventilation to maintain exposures below the TLV. Under normal conditions of use, general ventilation should be satisfactory. Local ventilation is recommended if the product is misted or used in a confined space or if the TLV is exceeded. Make up air should always be supplied to balance air exhausted. Provide eyewash and safety shower if contact or splash hazard exists.

### Individual Protection Measures

#### Eye/Face Protection

Wear chemical safety goggles.

#### Skin Protection

Wear chemical protective clothing e.g. gloves, aprons, boots.

Suitable materials are: neoprene rubber, nitrile rubber.

#### Respiratory Protection

Not normally required if product is used as directed.

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

### Basic Physical and Chemical Properties

<b>Appearance</b>	Clear amber liquid.
<b>Odour</b>	Ammonia-like
<b>Odour Threshold</b>	Not available
<b>pH</b>	Not available
<b>Melting Point/Freezing Point</b>	Not available (melting)
<b>Initial Boiling Point/Range</b>	Not available
<b>Flash Point</b>	Not applicable
<b>Evaporation Rate</b>	Not available
<b>Flammability (solid, gas)</b>	Not applicable (liquid).
<b>Upper/Lower Flammability or Explosive Limit</b>	Not available (upper); Not available (lower)
<b>Vapour Pressure</b>	Not available
<b>Vapour Density (air = 1)</b>	Not available
<b>Relative Density (water = 1)</b>	0.922 at 15 °C
<b>Solubility</b>	Partial in water
<b>Partition Coefficient, n-Octanol/Water (Log Kow)</b>	Not available
<b>Auto-ignition Temperature</b>	Not available
<b>Decomposition Temperature</b>	Not available
<b>Viscosity</b>	11.05 centistokes at 40°C (kinematic)
<b>Other Information</b>	
<b>VOC %</b>	Not available
<b>Flame projection</b>	> 100 cm
<b>NFPA Classification</b>	Aerosol, level 2

## SECTION 10. STABILITY AND REACTIVITY

### Reactivity

Not reactive under normal conditions of use.

### Chemical Stability

Product Identifier: Lefty Loosey Foaming Penetrating Spray - Ver. 1  
 SDS No.: A-0010-00  
 Date of Preparation: June 05, 2018  
 Date of Last Revision:

Normally stable.

### Possibility of Hazardous Reactions

None known.

### Conditions to Avoid

High temperatures. Open flames, sparks, static discharge, heat and other ignition sources.

### Incompatible Materials

Strong oxidizing agents (e.g. perchloric acid).

### Hazardous Decomposition Products

Carbon oxides. And other unidentified organic compounds.

## SECTION 11. TOXICOLOGICAL INFORMATION

Information presented below is for the entire product, unless otherwise specified.

### Likely Routes of Exposure

Inhalation;  
Skin contact;  
Eye contact;  
Ingestion.

### Acute Toxicity

Chemical Name	LC50	LD50 (oral)	LD50 (dermal)
1,3,5-Trimethylbenzene	24000 mg/m <sup>3</sup> (rat) (4-hour exposure)	Not available	Not available
2,2-iminodiethanol	> 0.4 ppm (rat) (6-hour)	680 mg/kg (female rat)	8180 mg/kg (rabbit)
2-Butoxyethanol	450 ppm (female rat) (4-hour exposure)	530 mg/kg (female rat)	400-500 mg/kg (rabbit)
Oleic acid	Not available	> 19200 mg/kg (male rat)	Not available
Xylene (mixed isomers)	6350 ppm (male rat) (4-hour exposure)	3523 mg/kg (rat)	> 1700 mg/kg (rabbit)
Diethylbenzene	> 30000 mg/m <sup>3</sup> (mouse)	1200 mg/kg (rat)	> 5000 mg/kg (rabbit)
Distillates (petroleum), hydrotreated heavy naphthenic	2180 mg/m <sup>3</sup> (rat) (4-hour exposure)	> 5000 mg/kg (rat)	> 2000 mg/kg (rabbit)
Hydrotreated light naphthenic distillate	2180 mg/m <sup>3</sup> (rat)	> 5000 mg/kg (rat)	> 2000 mg/kg (rabbit)
Solvent naphthat (petroleum), light aromatic	> 14.4 mg/L (rat) (6-hour)	8400 mg/kg (rat)	> 3160 mg/kg (rabbit)
Amides, coco, Ú, Ú-bis(hydroxyethyl)	Not available	12200 mg/kg (rat)	> 2000 mg/kg (rabbit)
1,2,4-Trimethylbenzene	18000 mg/m <sup>3</sup> (rat) (4-hour exposure)	5000 mg/kg (rat)	Not available
Cumene	39 mg/L (rat) (4-hour exposure)	1400 mg/kg (rat)	10627 mg/kg (rabbit)

34% of the mixture consists of an ingredient or ingredients of unknown acute toxicity (inhalation).

23% of the mixture consists of an ingredient or ingredients of unknown acute toxicity (oral).

43% of the mixture consists of an ingredient or ingredients of unknown acute toxicity (dermal).

### Skin Corrosion/Irritation

There is limited evidence of moderate or severe irritation.

Product Identifier: Lefty Loosey Foaming Penetrating Spray - Ver. 1

SDS No.: A-0010-00

Date of Preparation: June 05, 2018

Date of Last Revision:

### Serious Eye Damage/Irritation

There is limited evidence of serious eye irritation. Symptoms include sore, red eyes, and tearing.

### STOT (Specific Target Organ Toxicity) - Single Exposure

#### Inhalation

At high concentrations causes nose and throat irritation, depression of the central nervous system. Symptoms may include headache, nausea, dizziness, drowsiness and confusion.

#### Skin Absorption

No information was located.

#### Ingestion

If large amounts are swallowed can cause effects as described for inhalation. Symptoms may include nausea, vomiting, stomach cramps and diarrhea.

### Aspiration Hazard

May cause lung damage if aspirated based on physical properties (e.g. kinematic viscosity) and chemical family (hydrocarbon).

### STOT (Specific Target Organ Toxicity) - Repeated Exposure

Conclusions cannot be drawn from the limited studies available.

### Respiratory and/or Skin Sensitization

No information was located for respiratory sensitization.

No information was located for skin sensitization.

### Carcinogenicity

Chemical Name	ACGIH®	IARC	NTP	OSHA
2,2-iminodiethanol	A3	Group 2B	Not Listed	Not Listed
2-Butoxyethanol	A3	Group 3	Not Listed	Not Listed
Xylene (mixed isomers)	A4	Group 3	Not Listed	Not Listed
Solvent naphthat (petroleum), light aromatic	Not Listed	Not evaluated	Not Listed	Not Listed
Petroleum gases, liquefied	Not Listed	Not Listed	Not Listed	Not Listed
Cumene	Not designated	Group 2B	Not Listed	Not Listed

Contains. (2,2-iminodiethanol) which has been classified as a Group 2B carcinogen (possibly carcinogenic to humans) contains. (Cumene) which has been classified as a Group 2B carcinogen (possibly carcinogenic to humans).

#### Key to Abbreviations

ACGIH® = American Conference of Governmental Industrial Hygienists. A3 = Animal carcinogen. A4 = Not classifiable as a human carcinogen.

IARC = International Agency for Research on Cancer. Group 2B = Possibly carcinogenic to humans. Group 3 = Not classifiable as to its carcinogenicity to humans.

### Reproductive Toxicity

#### Development of Offspring

(Xylene (mixed isomers)) may cause effects on the unborn child based on limited evidence.

No information was located for: Sexual Function and Fertility, Effects on or via Lactation, Germ Cell Mutagenicity, Interactive Effects

## SECTION 12. ECOLOGICAL INFORMATION

This section is not required by WHMIS.

This section is not required by OSHA HCS 2012.

## SECTION 13. DISPOSAL CONSIDERATIONS

Product Identifier: Lefty Loosey Foaming Penetrating Spray - Ver. 1

SDS No.: A-0010-00

Date of Preparation: June 05, 2018

Date of Last Revision:

## Disposal Methods

Empty containers retain product residue. Follow label warnings even if container appears to be empty. Store product for disposal as described under Storage in Section 7 of this safety data sheet. The container for this product can present explosion or fire hazards, even when emptied. Do not cut, puncture, or weld on or near this container. Dispose of in accordance with municipal, provincial/state or federal regulations.

## SECTION 14. TRANSPORT INFORMATION

Regulation	UN No.	Proper Shipping Name	Transport Hazard Class(es)	Packing Group
Canadian TDG	UN1950	Aerosols	2.1	---
IMDG (Marine)	UN1950	Aerosols	2.1	---
IATA (Air)	UN1950	Aerosols, flammable	2.1	---

**Special Precautions** Not applicable

**Transport in Bulk According to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable

**Emergency Response** 126 EmS F-D, S-U

**Guide No.**

**Other Information** ICAO/IATA PI Y203/203

Product may ship as LTD QTY if TDG, ICAO/IATA or IMDG Limited Quantity provisions are met.

## SECTION 15. REGULATORY INFORMATION

### Safety, Health and Environmental Regulations

#### Canada

##### Domestic Substances List (DSL) / Non-Domestic Substances List (NDSL)

All ingredients are listed on the DSL/NDSL.

##### CEPA - National Pollutant Release Inventory (NPRI)

(2,2-iminodiethanol) Part 1A.

(2-Butoxyethanol) Part 5.

(Xylene (mixed isomers)) Part 1A.

(d-Limonene) Part 5.

(Solvent naphthat (petroleum), light aromatic) Part 5.

(1,2,4-Trimethylbenzene) Part 1A.

(Cumene) Part 1A.

#### USA

##### Toxic Substances Control Act (TSCA) Section 8(b)

All ingredients are listed on the TSCA Inventory.

##### Additional USA Regulatory Lists

CERCLA. (2,2-iminodiethanol). (Xylene (mixed isomers)). (Ammonium hydroxide). (Cumene)

SARA Title III - Section 302:

SARA Title III - Section 313. (2,2-iminodiethanol). (Xylene (mixed isomers)). (1,2,4-Trimethylbenzene). (Cumene)

California Proposition 65: Not applicable.

Massachusetts Right To Know: Not applicable.

New Jersey Right To Know. (Methyl isobutyl carbinol). (2,2-iminodiethanol). (2-Butoxyethanol). (Calcium hydroxide).

(Xylene (mixed isomers)). (Ammonium hydroxide). (Diethylbenzene). (Glycerine). (Petroleum gases, liquefied).

(1,2,4-Trimethylbenzene). (Cumene)

Pennsylvania Right To Know. (Methyl isobutyl carbinol). (2,2-iminodiethanol). (2-Butoxyethanol). (Oleic acid).

(Calcium hydroxide). (Xylene (mixed isomers)). (Ammonium hydroxide). (Diethylbenzene). (Glycerine). (Petroleum

gases, liquefied). (1,2,4-Trimethylbenzene). (Cumene)

Product Identifier: Lefty Loosey Foaming Penetrating Spray - Ver. 1

SDS No.: A-0010-00

Date of Preparation: June 05, 2018

Date of Last Revision:

## SECTION 16. OTHER INFORMATION

**NFPA Rating**                      **Health - 2    Flammability - 4    Instability - 3**

**SDS Prepared By**                Regulatory Compliance

**Phone No.**                         800.201.9486

**Date of Preparation**            June 05, 2018

**Key to Abbreviations**        ACGIH® = American Conference of Governmental Hygienists  
CANUTEC = Canadian Transport Emergency Centre  
CAS = Chemical Abstract Service  
CCOHS = Canadian Centre for Occupational Health & Safety  
CNS = Central nervous system  
GESTIS = GESTIS Substance Database  
HSDB® = Hazardous Substances Data Bank  
IARC = International Agency for Research on Cancer  
ICAO = International Civil Aviation Organization  
IMDG = International Maritime Dangerous Goods Code  
LC = Lethal concentration  
LD = Lethal dose  
NFPA = National Fire Protection Association  
NTP = National Toxicology Program  
OSHA = US Occupational Safety and Health Administration  
PPM = Parts per million  
RTECS® = Registry of Toxic Effects of Chemical Substances  
STEL = Short term exposure limit  
TDG = Transportation of Dangerous Goods Regulations (Canada)  
TWA = Time weighted average

**References**                      Material safety data sheet from manufacturer.  
CHEMINFO database. Canadian Centre for Occupational Health and Safety (CCOHS).  
HSDB® database. US National Library of Medicine. Available from Canadian Centre for Occupational Health and Safety (CCOHS).  
Registry of Toxic Effects of Chemical Substances (RTECS®) database. Accelrys, Inc. Available from Canadian Centre for Occupational Health and Safety (CCOHS).  
ECHA - European Chemical Agency, Classification and Labelling Inventory  
GESTIS Substance Database  
OECD - The Global Portal to Information on Chemical Substances - eChemPortal, 2015.

**Disclaimer**                      The information contained herein is offered only as a guide to the use and handling of this specific material and has been prepared in good faith. It is not intended to be all-inclusive, and the manner and conditions of use and handling may involve other and additional considerations. No warranty of any kind is given or implied. The GAP Group of Companies will not be liable for any damages, losses, injuries or consequential damages which may result from the use of or reliance on any information contained herein.

---

Product Identifier:                Lefty Loosey Foaming Penetrating Spray - Ver. 1

SDS No.:                            A-0010-00

Date of Preparation:             June 05, 2018

Date of Last Revision:

Page            08 of    08