



Safety Data Sheet 180

SECTION 1: Identification

1.1 Product identifier

Product name 180

Product number FLR1106

1.3 Recommended use of the chemical and restrictions on use

FLR System - Paint Residue Remover

1.4 Supplier's details

Name GAP Professional Products
Address 122 Route 105
Keswick Ridge NB E6L 1B1
Canada

Telephone (506) 363-9708
Fax (506) 363-4241
email info@gapauto.com

1.5 Emergency phone number(s)

For Medical or Transport Emergencies / Pour les urgences médicales ou de transport
CANUTEC (24 Hours)
(613) 996-6666

SECTION 2: Hazard identification

2.1 Classification of the substance or mixture

GHS classification in accordance with: WHMIS 2015

- Skin sensitizer, Cat. 1
- Toxic to reproduction, Cat. 2
- Flammable liquids, Cat. 4
- Skin corrosion/irritation, Cat. 2
- Aspiration hazard, Cat. 1

Safety Data Sheet

180

2.2 GHS label elements, including precautionary statements

Pictogram



1. Exclamation mark; 2. Health hazard

Signal word

Danger

Hazard statement(s)

H317	May cause an allergic skin reaction
H361	Suspected of damaging fertility or the unborn child [effect, route]
H304	May be fatal if swallowed and enters airways
H227	Combustible liquid
H315	Causes skin irritation

Precautionary statement(s)

P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P261	Avoid breathing dust/fume/gas/mist/vapors/spray.
P272	Contaminated work clothing should not be allowed out of the workplace.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P302+P352	IF ON SKIN: Wash with plenty of water/...
P308+P313	IF exposed or concerned: Get medical advice/attention.
P321	Specific treatment (see ... on this label).
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P363	Wash contaminated clothing before reuse.
P405	Store locked up.
P501	Dispose of contents/container to ...
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P370+P378	In case of fire: Use ... to extinguish.
P403+P235	Store in a well-ventilated place. Keep cool.
P264	Wash ... thoroughly after handling.
P332+P313	If skin irritation occurs: Get medical advice/attention.
P362+P364	Take off contaminated clothing and wash it before reuse.
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/doctor/...
P331	Do NOT induce vomiting.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Hazardous components

Component	Concentration
Component 1 (trade secret)*	< 1 % (weight)

Safety Data Sheet 180

CLASSIFICATIONS: Flammable liquids, Cat. 3; Aspiration hazard, Cat. 1; Skin corrosion/irritation, Cat. 2; Specific target organ toxicity following repeated exposure, Cat. 1; Hazardous to the aquatic environment, long-term (chronic), Cat. 2. HAZARDS: No data available.

Component 2 (trade secret)*	< 1 % (weight)
CLASSIFICATIONS: Acute toxicity, inhalation, Cat. 3; Acute toxicity, dermal, Cat. 3; Acute toxicity, oral, Cat. 3; Skin corrosion/irritation, Cat. 1B; Skin sensitizer, Cat. 1; Hazardous to the aquatic environment, short-term (acute), Cat. 1; Hazardous to the aquatic environment, long-term (chronic), Cat. 1. HAZARDS: H301 - Toxic if swallowed; H311 - Toxic in contact with skin; H314 - Causes severe skin burns and eye damage; H317 - May cause an allergic skin reaction; H331 - Toxic if inhaled; H400 - Very toxic to aquatic life; H410 - Very toxic to aquatic life with long lasting effects.	
Component 3 (trade secret)*	< 1 % (weight)
CLASSIFICATIONS: No data available. HAZARDS: No data available.	
Component 4 (trade secret)*	< 1 % (weight)
CLASSIFICATIONS: No data available. HAZARDS: No data available.	
Component 5 (trade secret)*	< 1 % (weight)
CLASSIFICATIONS: No data available. HAZARDS: No data available.	
Component 6 (trade secret)*	< 1 % (weight)
CLASSIFICATIONS: Toxic to reproduction, Cat. 2; Hazardous to the aquatic environment, long-term (chronic), Cat. 4. HAZARDS: H361f - ; H413 - May cause long lasting harmful effects to aquatic life.	

Trade secret statement (OSHA 1910.1200(i))

*A claim for exemption has been filed in accordance with the Hazardous Materials Information Review Act (HMIRA), Sect. 11(1), to withhold the specific chemical identity and/or the concentration of components marked with an asterisk (listed above). The HMIRA registration number for the claim is: #7696, and the filing date for the claim was: 09/15/2011.

SECTION 4: First-aid measures

4.1 Description of necessary first-aid measures

General advice	Do not leave affected person unattended. Remove victim out of the danger area. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.
If inhaled	If affected, remove individual to fresh air. If breathing is difficult, administer oxygen. If breathing has stopped, give artificial respiration. Keep person warm, quiet, and get medical attention
In case of skin contact	Wash off with soap and plenty of water. Get medical attention if symptoms occur.
In case of eye contact	Rinse thoroughly with plenty of water for at least 15 minutes. Get medical attention if symptoms occur.
If swallowed	DO NOT INDUCE VOMITING. Call physician immediately. If conscious give lots of water or milk. Do not give anything by mouth to an unconscious or convulsing person.
Personal protective equipment for first-aid responders	Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Avoid contact with skin, eyes or clothing. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Wear personal protective clothing (see section 8).

SECTION 5: Fire-fighting measures

5.1 Suitable extinguishing media

Regular foam, waterfog, carbon dioxide or dry chemical. Keep containers cool with water spray using fog nozzles.

Safety Data Sheet

180

5.2 Specific hazards arising from the chemical

Vapors are heavier than air and may travel along the ground or be moved by ventilation and ignited by heat, pilot lights and other flames in locations distant from the material handling point.

5.3 Special protective actions for fire-fighters

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

See Section 8 for recommended personal protective equipment.

6.2 Environmental precautions

Should not be released into the environment.

6.3 Methods and materials for containment and cleaning up

Solvents

LARGE SPILLS: Dike far ahead of spill to prevent further movement. Soak up with inert absorbent material (e.g. sand, silica gel). Keep in suitable, closed containers for disposal.

SMALL SPILLS: Contain and absorb with absorbent material and place into containers for later disposal. Dispose of according to local, and Provincial regulations for products containing petroleum distillates.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Put on appropriate personal equipment (see Section 8). Do not get in eyes or on skin or clothing. Do not breathe vapor or mist. Do not ingest. Keep in original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Keep away from acids. Empty containers retain product residue and can be hazardous. Do not reuse container. Wash thoroughly after handling.

7.2 Conditions for safe storage, including any incompatibilities

Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials(see Section 10) and food and drink. Do not store under freezing conditions or above 49 C (120 F). Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Keep out of reach from children.

Specific end use(s)

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

1. Component 1 (trade secret)*

REL-ST (Inhalation): 350 mg/m³, 1800 mg/m³ (NIOSH)

REL-TWA (Inhalation): 350 mg/m³ (NIOSH)

TLV® (Inhalation): 100 ppm, 525 mg/m³ (ACGIH)

Safety Data Sheet 180

eye, skin, kidney damage, nausea, CNS impair

PEL-C (Inhalation): 100 ppm (Cal/OSHA)

PEL-TWA (Inhalation): 500 ppm (2900 mg/m³) (OSHA)

8.2 Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

8.3 Individual protection measures, such as personal protective equipment (PPE)

Eye/face protection

Splash goggles

Skin protection

Chemical resistant gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Wash and dry hands after use.

Body protection

Skin Protection: Protective gloves (for hands). Long sleeve shirts and pants should be worn to protect exposed skin.

Respiratory protection

Recommended: Dust mask or Respirator should be worn if product is used in confined space or used for a prolonged period of time.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Appearance/form (physical state, color, etc.)	White Liquid (seperates easily)
Odor	Aromatic odour
Odor threshold	
pH	7.9
Melting point/freezing point	Not Available
Initial boiling point and boiling range	>65 °C at 1 atm
Flash point	61 °C at 101.3 kPa 142 °F at 1 atm
Evaporation rate	Not determined
Flammability (solid, gas)	product mist may be flammable
Upper/lower flammability limits	LEL=0.6% UEL=6%
Vapor pressure	31.69 hPa at 25 °C
Vapor density	Not Determined
Relative density	0.99
Solubility(ies)	Negligible in water.
Partition coefficient: n-octanol/water	Not Determined
Auto-ignition temperature	215 °C
Decomposition temperature	Not Determined
Viscosity	Thin Liquid
Explosive properties	
Oxidizing properties	

SECTION 10: Stability and reactivity

10.1 Reactivity

Safety Data Sheet 180

None under normal use conditions.

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

Will not occur.

10.4 Conditions to avoid

Heat, flames and sparks.

10.5 Incompatible materials

Avoid contact with acids and strong oxidizers such as permanganate, chlorine, ectoderm. Do not store near acids, carbon dioxide (CO₂), and strong oxidizers such as permanganate, chlorine, ectoderm.

10.6 Hazardous decomposition products

After water evaporates, burning may produce oxides of carbon, traces of sulfur and nitrogen oxides and various hydrocarbons

SECTION 11: Toxicological information

Information on toxicological effects

Acute toxicity

Shall not be classified as acutely toxic.

Skin corrosion/irritation

Prolonged or repeated contact can cause moderate irritation, defatting, dermatitis.

Serious eye damage/irritation

Can cause severe irritation, redness, tearing, blurred vision.

Respiratory or skin sensitization

Excessive inhalation of vapors can cause nasal and respiratory irritation and central nervous system effects including dizziness, weakness, fatigue, nausea, headache and possibleunconsciousness.

Germ cell mutagenicity

No data available

Carcinogenicity

Carcinogenicity: Ingredients not listed by OSHA, NTP, IARC.

Reproductive toxicity

No data available

Summary of evaluation of the CMR properties

Not Available

STOT-single exposure

Primary route of entry: A) Skin B) Inhalation

Safety Data Sheet

180

Not classified as a specific target organ toxicant (single exposure).

STOT-repeated exposure

Pre-existing skin, eye and respiratory disorders may be aggravated by exposure to product.

SECTION 12: Ecological information

Toxicity

ECOTOXICOLOGICAL INFORMATION: Not Available ENVIRONMENTAL DATA: No known significant effects or critical hazards

ECOTOXICOLOGICAL INFORMATION: Not Available

SECTION 13: Disposal considerations

Disposal of the product

Dispose of accordance in local, and provincial regulations for solvent materials.

SECTION 14: Transport information

DOT (US)

Not dangerous goods

IMDG

Not dangerous goods

IATA

Not dangerous goods

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations specific for the product in question

Canadian Domestic Substances List (DSL)

SECTION 16: Other information

16.1 Further information/disclaimer

These SDS are written in an effort to provide information to the worker in the workplace and in such a way it can be understood. To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

16.2 Preparation information

Prepared by: C. Gourley